



**DEPARTMENT OF PUBLIC HEALTH AND SOCIAL SERVICES  
DIVISION OF ENVIRONMENTAL HEALTH  
CHILD CARE FACILITY  
INSPECTION REPORT**

<b>REASON</b>		<b>GRADE</b>	<b>Inspection Date:</b>	<b>ESTABLISHMENT NAME:</b>	
Regular	<input checked="" type="checkbox"/>	<b>82</b>	<b>4/20/17</b>	<b>LITTLE ONE'S CHILDCARE CENTER</b>	
Follow-Up	<input type="checkbox"/>		<b>Time In/Out:</b>	<b>OWNER/OPERATOR:</b>	
Complaint	<input type="checkbox"/>		<b>10:40 AM   11:15 AM</b>	<b>ESPINOSA, ARLYN</b>	
Investigation	<input type="checkbox"/>	<b>RATING</b>	<b>Sanitary Permit No.:</b>	<b>LOCATION:</b>	<b>Establishment Type:</b>
Other:	<input type="checkbox"/>	<b>A</b>	<b>20000-160062852</b>	<b>DEDEDO</b>	<b>CCC / NURSERY</b>
			<b>PERMIT STATUS:</b> <input checked="" type="checkbox"/> Valid <input type="checkbox"/> Temporary <input type="checkbox"/> Expired		
<b>No. of Children:</b> <u>23</u> Male <u>21</u> Female <u>44</u> Total			<b>Child Care License:</b> No. <u>160016</u> <input checked="" type="checkbox"/> Valid <input type="checkbox"/> Provisional <input type="checkbox"/> Expired		

The following items identify violations found this day in the operations and facilities which must be corrected by the next inspection or sooner as the Department indicates. Non-compliance may result in downgrading or permit suspension. To appeal a written request for hearing must be submitted before the indicated correction date.

ITEM*	REMARKS	DEMERIT	CORRECT BY
	A REGULAR INSPECTION WAS CONDUCTED.		
	PREVIOUS INSPECTION ON 1/25/17. (6, A)		
	THE FOLLOWING WAS OBSERVED :		
	PREVIOUS VIOLATIONS # 13, 9, & 31 HAVE BEEN CORRECTED.		
17	PAINT PEELING IN REAR ROOM (CEILING). ALL WALLS, CEILINGS & STOREROOMS SHALL BE KEPT CLEAN & IN GOOD REPAIR TO PREVENT PHYSICAL HAZARDS.	2	5/20/17
24.	INSIDE REFRIGERATOR GENERALLY UNCLEAN. STORAGE OF FOOD & DRINK SHALL BE PROTECTED FROM CONTAMINATION TO PREVENT POTENTIAL FOODBORNE ILLNESSES. (COS)	6	4/30/17
	"A" PLACARD #02163 ISSUED.		
	PK BRIEFED ON THE ABOVE.		

I have read and understand the above violation(s) and I am aware of the corrective measures to be taken.

\*Note: When any of the following items are cited above, they shall be corrected within 10 days of this inspection:  
(2), (4), (6), (14), (21), (23), (24), (27), (28), (39) & (40).

Received By (Name & Title):

GLORIA BAGUIZON - *for Director*

DEH Inspector (Name & Title):

J. GARCIA EPHO I

J. CRUZ EPHO I